

Wimbledon Park (Horse Close Woods) (PAR) - Condition Report

Wimbledon Park

Wimbledon Park (Horse Close Woods)

Tree Seq	Species (Common Name)	Conditions	Risk Fact	Risk Cate	Work Performed
5	Populus serotina	Overall Condition - Fair {F} - excessive ivy impedes assessment of all structure until 2nd order branch structure. too much to make any judgment on condition of structure and certainly sufficient to hide substantial defects - remove ivy on stem and structure to expose for visual assessment all unions of sections of >100mm diameter and sever all ivy stem close to ground level.	80	Minimal	see TEXT report (Ordered) - excessive ivy impedes assessment of all structure until 2nd order branch structure. too much to make any judgment on condition of structure and certainly sufficient to hide substantial defects - remove ivy on stem and structure to expose for visual assessment all unions of sections of >100mm diameter and sever all ivy stems close to ground level. AND CLEAR BASE FOR INSPECTION STARTED BY ARB TEAM . TAG 001 AT 3M E
7	Quercus robur	Overall Condition - Fair {F} - excessive ivy impedes inspection. judgment on structural condition not possible but no observable indications of defect. sever ivy at this time to improve future inspection prospects. Twin stem - SWEPT STEM NO LEAN	0.2	Insignificant	see TEXT report (Ordered) - sever all ivy stems close to ground level AND CLEAR BASE FOR INSPECTION. TAG 003 AT 2M E
8	Populus serotina	Leaning - IRO 35 degrees parallel but slightly towards car park. Overall Condition - Fair {F} - excessive ivy impedes inspection. judgment on structural condition not possible but no observable indications of defect. sever ivy at this time to improve future inspection prospects.	0.2	Insignificant	see TEXT report (Ordered) - sever all ivy stems close to ground level AND CLEAR BASE FOR INSPECTION. TAG NO 002 AT 2 M E
11	Tilia platyphyllos	Overall Condition - Fair {F} - excessive ivy impedes inspection. judgment on structural condition not possible but no observable indications of defect. sever ivy at this time to improve future inspection prospects.	0.2	Insignificant	see TEXT report (Ordered) - carefully sever all ivy stems close to ground level AND CLEAR BASE FOR INSPECTION.

Wimbledon Park (Horse Close Woods) (PAR) - Condition Report

Wimbledon Park ...(contd)..

Wimbledon Park (Horse Close Woods) ...(contd)..

Tree Seq	Species (Common Name)	Conditions	Risk Fact	Risk Cate	Work Performed
13	Populus serotina	Leaning - towards low occupancy target Overall Condition - Fair {F} - excessive ivy impedes inspection. judgment on structural condition not possible but no observable indications of defect. sever ivy at this time to improve future inspection prospects.	0.2	Insignificant	Fell (Ordered) - TAG 004 AT 2M EAST
14	Salix fragilis	Dead Wood - low piece in crown possibly more higher but foliage prevents assessment Stem - Weak Fork/Crotch Overall Condition - Fair {F} - excessive ivy impedes inspection. judgment on structural condition not possible but no observable indications of defect. sever ivy at this time to improve future inspection prospects.	160	Slight	Crown Reduce (Ordered) - shorten overall height of stem car park side by 4 metres TAG NO 006 AT 3M E Dead Wood (Ordered) see TEXT report (Ordered) - carefully sever all ivy stems close to ground level AND CLEAR BASE FOR INSPECTION.
15	Fraxinus excelsior (Ash)	Overall Condition - Good {G} - two stemmed. topped. excessive ivy.	120	Minimal	see TEXT report (Ordered) - cut to low coppice stump AT 1M
16	Fraxinus excelsior (Ash)	Overall Condition - Poor {P}	80	Minimal	see TEXT report (Ordered) - cut to low coppice stump AT 1M TAG NO 008 AT 3M N (crown break at 2m tree 3m from fence to west)
17	Fraxinus excelsior (Ash)	Overall Condition - Fair {F}	0.2	Insignificant	see TEXT report (Ordered) - cut to low coppice stump AT APPROX 1M. TAG NO 009 AT 3M S
18	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - topped and excessively ivy clad.	0.2	Insignificant	see TEXT report (Ordered) - 'COPPARD' AT 3M AGL TAG NO 010 AT 3M SW
19	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - topped and excessively ivy clad.	0.2	Insignificant	see TEXT report (Ordered) - COPPARD AT APPROX 3M TAG NO 011 AT 3M W

Wimbledon Park (Horse Close Woods) (PAR) - Condition Report

Wimbledon Park ...(contd)..

Wimbledon Park (Horse Close Woods) ...(contd)..

Tree Seq	Species (Common Name)	Conditions	Risk Fact	Risk Cate	Work Performed
20	Crataegus monogyna	Leaning - acutely towards garden with crown projecting over fence - cut back from fence to be minimum 2 metres inside woodland boundary Overall Condition - Poor {P}	0.2	Insignificant	see TEXT report (Ordered) - acutely towards garden with crown projecting over fence - cut back from fence to be minimum 2 metres inside woodland boundary TAG NO 012 AT 2M E
21	Fraxinus excelsior (Ash)	Overall Condition - Fair {F} - no cavs	0.2	Insignificant	see TEXT report (Ordered) - COPPICE AT 1M TAG NO 014 AT 2M N
22	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - Decay and Cav at base. Lean towards Gardens. Walk through inspection carried out on woods (DS and AC and again D/L and Dr Dave Dawson), walking all paths with ariel maps. Works picked up but not full condition survey as low target.	120	Minimal	see TEXT report (Ordered) - COPPICE AT 1M TAG NO 013 AT 3M W
23	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} Stem - Fungal Decay - lower stem	300	Slight	see TEXT report (Ordered) - COPPICE AT APPR40X 1M. TAG 012 AT 2M E
24	Fraxinus excelsior (Ash)	Overall Condition - Fair {F}	0.2	Insignificant	see TEXT report (Ordered) - COPPICE AT 1M TAG NO 016 AT 3M S
26	Crataegus monogyna	Overall Condition - Fair {F}	0.2	Insignificant	see TEXT report (Ordered) - COPPICE NO TAG
28	Corylus avellana	Overall Condition - Fair {F}	0.2	Insignificant	see TEXT report (Ordered) - cut to coppice stool for regeneration and future cyclical management
29	Fraxinus excelsior (Ash)	Stem - Weak Fork/Crotch Overall Condition - Poor {P}	200	Slight	see TEXT report (Ordered) - COPPICE AT 1M TAG NO 017 AT 3M S
30	Fraxinus excelsior (Ash)	Overall Condition - Fair {F} - excessive ivy impedes inspection. judgment on structural condition not possible but no observable indications of defect. coppice to favour development of oak adjacent	0.2	Insignificant	see TEXT report (Ordered) - cut to low coppice stump TAG NO 021 AT 3M E

Wimbledon Park (Horse Close Woods) (PAR) - Condition Report

Wimbledon Park ...(contd)..

Wimbledon Park (Horse Close Woods) ...(contd)..

Tree Seq	Species (Common Name)	Conditions	Risk Fact	Risk Cate	Work Performed
31	Quercus robur	Overall Condition - Fair {F} - excessive ivy impedes inspection. judgment on structural condition not possible but no observable indications of defect. STEM [T002] - stem swept to south from ground level.	0.2	Insignificant	see TEXT report (Ordered) - sever all ivy stems AND CLEAR AROUND AND TO 2M TAG NO 020 AT 3M E
32	Quercus robur	Overall Condition - Fair {F} - excessive ivy and vine obscuring crown and impeding inspection, previously reduced probably some dead wood but very hard to see. partial inspection of base only excessive ivy and climber impedes inspection. judgment on structural condition not possible but no observable indications of defect. complete removal of all necessary. too dark to assess stem fence side.	50	Minimal	Crown Reduce (Ordered) - reduce whole crown to previous pruning points Dead Wood (Ordered) - remove any dead wood capable of affecting gardens see TEXT report (Ordered) - girdle and remove all ivy and climbing vine from all of the structure of the tree including stem. if climbing plants originating from off site cut back fully to boundary otherwise cut stems to ground level PLUS CLEAR AROUND FOR INSPEC TAG NO 018 AT 2-3M S
33	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - included basal stem unions. heavily topped. decay expected in region of topping points.	300	Slight	see TEXT report (Ordered) - COPPICE APPROX 1M TAG NO 019 AT 3M S - CAUTION - VISIBLE HABITAT FEATURES /OLD REDUCTION POINTS -INVESTIGATE BEFORE WORKS
34	Aesculus hippocastanum	Overall Condition - Fair {F} - excessive ivy impedes inspection. judgment on structural condition not possible but no observable indications of defect.	0.2	Insignificant	Fell (Ordered) - TAG NO 022 AT 3M W
35	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - a very heavily ivy clad stump with one large limb near past topping or fracture point. security of this limb is compromised by stem degradation .Little visible habitat potential	160	Slight	see TEXT report (Ordered) - remove top at 6m to retain stem only (top snapped out in past) TAG NO 023AT 2M N

Wimbledon Park (Horse Close Woods) (PAR) - Condition Report

Wimbledon Park ...(contd)..

Wimbledon Park (Horse Close Woods) ...(contd)..

Tree Seq	Species (Common Name)	Conditions	Risk Fact	Risk Cate	Work Performed
36	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - a very heavily ivy clad stump with one large limb near past topping or fracture point. security of this limb is very likely to be compromised by stem degradation. Potential low	160	Slight	see TEXT report (Ordered) - cut to coppice stool for regeneration and future cyclical management TAG NO 024 AT 3M N
38	Crataegus monogyna	Dead Wood Overall Condition - Poor {P} - West stem appears to have no live growth. East stem has a few live branches.	40	Insignificant	Dead Wood (Ordered) see TEXT report (Ordered) - if whole of wst stem is dead fell the stem and tidy up east stem by dead wood removal plus biggest clumps of dead ivy TAG NO 029 AT 3M E +FELL SMALL ASH ADJ
39	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - slender suppressed specimen.	0.2	Insignificant	see TEXT report (Ordered) - cut to coppice stool for regeneration and future cyclical management
40	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - tall drawn-up and slender. excessive ivy impedes inspection. judgment on structural condition not possible. can see break-out of large limb garden side at 9 metres but condition of stem in this region not discernible.	200	Slight	see TEXT report (Ordered) - COPPIC APPROX 1M TAG NO 027 AT 3M S
41	Tilia x europaea	Overall Condition - Fair {F} - topped specimen. small regrowth of ca 2 metres. excessive ivy impedes inspection. judgment on structural condition not possible.	0.2	Insignificant	see TEXT report (Ordered) - reduce regrow material at top of stem only back close to past cutting points. sever all ivy stem close to ground level. TAG NO 028 AT 3M S
45	Fraxinus excelsior (Ash)	Broken, Hanging Branches Leaning Unbalanced Crown Overall Condition - Poor {P} Stem - Fungal Decay - column of decay occupies most of stem	240	Slight	see TEXT report (Ordered) - POLLARD AT 7M +REMOVE HANGER TAG NO 025 AT 3M E
46	Quercus robur	Dead Wood Overall Condition - Good {G} STEM [T002] - ivy to 10 metres impedes inspection.	960	Moderate	Dead Wood (Ordered) see TEXT report (Ordered) - girdle and remove all ivy stems between ground level and 2 metres AND CLEAR AROUND TAG NO 026 AT 3M SW

Wimbledon Park (Horse Close Woods) (PAR) - Condition Report

Wimbledon Park ...(contd)..

Wimbledon Park (Horse Close Woods) ...(contd)..

Tree Seq	Species (Common Name)	Conditions	Risk Fact	Risk Cate	Work Performed
47	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - past topping after infection by Inonotus hispidus	120	Minimal	see TEXT report (Ordered) - COPPICE TO 1M - CAUTION VISIBLE HABITAT FEATURES - INSPEC REQ PRIOR TO WORKS TAG NO 030 AT 3M N
48	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - past topping after infection by Inonotus hispidus	120	Minimal	see TEXT report (Ordered) - COPPICE TO 1M - CAUTION VISIBLE HABITAT FEATURES - INSPEC REQ PRIOR TO WORKS TAG NO 031 AT 3M S
49	Corylus avellana	Overall Condition - Fair {F}	0.2	Insignificant	see TEXT report (Ordered) - cut to low coppice stump as determined by lower stem form. intended to cyclically manage thereafter as necessary.
50	Crataegus monogyna	Leaning - over garden fence Overall Condition - Fair {F}	0.2	Insignificant	see TEXT report (Ordered) - prune back to 1.5 metres woodland side of fence TAG NO 033 AT 3M S
51	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - topped. indications of Inonotus hispidus decay in region of topping point.	120	Minimal	see TEXT report (Ordered) - COPPICE AT 1M CAUTION - VISIBLE HABITAT FEATURES -INVESTIGATE BEFORE WORKS TAG NO 032 AT 3M NE
52	Crataegus monogyna	Leaning - over garden fence Overall Condition - Fair {F}	0.2	Insignificant	see TEXT report (Ordered) - prune back to 1.5 metres woodland side of fence
53	Crataegus monogyna	Overall Condition - Poor {P} - stump to 2 metres plus shoots better to coppice	0.2	Insignificant	see TEXT report (Ordered) - COPPICE
55	Fraxinus excelsior (Ash)	Leaning Suppressed CROWN [T004] - squirrel damage to branch bases increasing likelihood of failure so works to remove this hazard advised Overall Condition - Poor {P}	0.2	Insignificant	see TEXT report (Ordered) - COPPICE AT 1M TAG NO 034 AT 3M W
56	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - already topped to 3 metres but very decayed at base	96	Minimal	see TEXT report (Ordered) - COPPICE AT 1M TAG NO 035 AT 3M N

Wimbledon Park (Horse Close Woods) (PAR) - Condition Report

Wimbledon Park ...(contd)..

Wimbledon Park (Horse Close Woods) ...(contd)..

Tree Seq	Species (Common Name)	Conditions	Risk Fact	Risk Cate	Work Performed
57	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - Cavity and decay at base. topped at 8 metres but with substantial regrowth subsequently. Dense ivy impedes inspection.	300	Slight	see TEXT report (Ordered) - COPPICE AT 1M. CAUTION - VISIBLE HABITAT FEATS INSPECT REQ PRIOR TO WORK TAG NO 036 AT3M N
60	Fraxinus excelsior (Ash)	Leaning Suppressed Overall Condition - Poor {P} - excessive ivy impedes inspection of most of structure. tree leaning over gardens. poor overall form.	0.2	Insignificant	see TEXT report (Ordered) - COPPICE AT 1M TAG NO 038 AT3M S
62	Fraxinus excelsior (Ash)	Overall Condition - Poor {P} - co-dominant from just below 4 metres. North stem either lost or removed at just below 6 metres. dense ivy throughout impedes inspection. remain south stem has poor form being initially swept to south but crown weighted to north. ivy obscures but first section of remaining stem displays biomechanical symptoms of excessive loading.	1200	Significant	see TEXT report (Ordered) - REMOVE SOUTH STEM TO MATCH REDUCED N STEM AT 6M, TAG NO 039 AT3M W
63	Crataegus monogyna	Leaning - Overhanging garden Suppressed Overall Condition - Fair {F}	0.2	Insignificant	see TEXT report (Ordered) - Cut back to 1.5 metres inside woodland boundary fence TAG NO 037 AT3M E
66	Ulmus procera	Leaning Suppressed Unbalanced Crown Overall Condition - Poor {P} - Now DED dieback know exactly identify upper crown	16	Insignificant	see TEXT report (Ordered) - CLEAR IVY TO 2M AND CLEAR BASE FOR INSPEC TAG NO 041 AT2M N
68	Fraxinus excelsior (Ash)	Dead Wood Overall Condition - Fair {F} - Within falling distance of boundary a different ash species so included for coppice per instructions	160	Slight	see TEXT report (Ordered) - REDUCE 50% OVERALL AND SMALL STEMS NORTH ORIGINATING AT 1M - REDUCE TO 2M CAUTION - VISIBLE HABITAT FEATURE ON MAIN STEM PLUS POSSIBLE HIDDEN ON N STEM IN IVY. INSPECM REQ PRIOR TO WORK TAG NO 040 AT 3M S
71	Ulmus procera	Overall Condition - Dead {D}	640	Moderate	Fell (Ordered)



Wimbledon Park (Horse Close Woods) (PAR) - Condition Report

Wimbledon Park ...(contd)..

Wimbledon Park (Horse Close Woods) ...(contd)..

Tree Seq	Species (Common Name)	Conditions	Risk Fact	Risk Cate	Work Performed
72	Fraxinus excelsior (Ash)	Suppressed Unbalanced Crown Overall Condition - Poor {P}	0.2	Insignificant	see TEXT report (Ordered) - COPPICE AT 1M TAG NO 042 AT3M S
73	Fraxinus excelsior (Ash)	Overall Condition - Fair {F} - Past record I dictates basal decided ay but none seen. Crown previously reduced. Very dense ivy. Objectives to provide coppice edge render lesser management needless	0.2	Insignificant	see TEXT report (Ordered) - COPPICE TO 1M CAUTION VISIBLE HABITAT FEATURES - INSPEC REQ PRIOR TO WORKS TAG NO 044 AT2M W
			Sub-total:	50 trees	
			Total:	50 trees	
Notes:-			=====		
			Overall total:	50 trees	-
			=====		